

1. A packaged furniture assembly, comprising:

a chair comprising:

an air permeable bladder, and

a filler disposed within the air permeable bladder, the chair being selectively compressed when air is removed from within the air permeable bladder; and

a vacuum chamber configured to house the chair therein;

wherein the vacuum chamber has a partial opening therein to thereby allow air inside the vacuum chamber while the chair is within the vacuum chamber.
2. The packaged furniture assembly as recited in claim 1, wherein the partially opened vacuum chamber has a portion thereof that is gathered together without forming an airtight seal, thereby forming a partial opening.
3. The packaged furniture assembly as recited in claim 1, wherein the partially opened vacuum chamber has an opening therein that is not sufficiently large to allow the chair to refill with air .
4. The assembly of claim 1, wherein the partial opening allows the chair to partially refill with air.
5. The packaged furniture assembly as recited in claim 1, wherein the chair is selectively compressed to about 1% to about 99% of the original volume.

2025 FEB 23 4:54 PM

WORKMAN, NYDEGGER & SEELEY
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

6. The packaged furniture assembly as recited in claim 1, wherein the chair is selectively compressed to about 4% to about 50% of the original volume.
7. The packaged furniture assembly as recited in claim 1, wherein the chair is selectively compressed to about 5% to about 25% of the original volume.
8. The packaged furniture assembly as recited in claim 1, wherein the chair is selectively compressed to about 5% to about 15% of the original volume.
9. The packaged furniture assembly as recited in claim 1, wherein the chair is selectively compressed, then allowed to refill with air until reaching about 6% to about 99% of the chair's original volume.
10. The packaged furniture assembly as recited in claim 1, wherein the chair is selectively compressed, then allowed to refill with air until reaching about 8% to about 50% of the chair's original volume.
11. The packaged furniture assembly as recited in claim 1, wherein the chair is selectively compressed, then allowed to refill with air until reaching about 10% to about 25% of the chair's original volume.
12. The packaged furniture assembly as recited in claim 1 further comprising a storage container having an opening configured to receive the chair and vacuum chamber when the chair is selectively compressed.

13. The furniture assembly as recited in claim 12, wherein the storage container is constructed from an air permeable material, and wherein when the chair and vacuum chamber are disposed within the storage container, the partial opening of the vacuum chamber is opened so that at least a minimal amount of air is allowed inside the vacuum chamber, such that the chair partially refills with air.

14. The furniture assembly as recited in claim 12, wherein the storage container is constructed of an air impermeable material, the storage container having an opening which is selectively opened and closed to seal the storage container from communication with the atmosphere.

15. The packaged furniture assembly as recited in claim 1, wherein a minimal amount of air is allowed inside the vacuum chamber.

16. The packaged furniture assembly as recited in claim 1, wherein the bladder comprises a flaccid material.

17. A method for packaging a chair, the method comprising:

providing a chair comprising (i) an air permeable bladder and (ii) a filler material disposed within the air permeable bladder, the chair being selectively compressed when air is removed from within the chair;

placing the chair in a vacuum chamber;

removing a substantial amount of air from the chair; and

allowing the chair to partially refill with air, wherein the vacuum chamber has a partial opening therein.

18. A method as recited in claim 17, wherein removing a substantial amount of air from the chair comprises suctioning the air from the chair using a vacuum source.

19. A method as recited in claim 18, wherein removing a substantial amount of air from the chair comprises using a first vacuum source and subsequently a second high-powered vacuum source.

20. A method as recited in claim 18 wherein the vacuum chamber is allowed to remain partially open after the chair is placed in a storage container.

21. A method as recited in claim 18, wherein the storage container has an opening which is selectively opened and closed, further comprising sealing the opening of the storage container after the chair is allowed to partially refill out to the wall of the storage container.

2025-04-23 16:54:00

WORKMAN, NYDEGGER & SEELEY
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

22. A method as recited in claim 21, wherein sealing the opening of the storage container comprises:

closing the opening of the storage container so that a plume extends therefrom;

and

applying adhesive to the inside of the plume.

23. A method as recited in claim 22, further comprising flaring the plume so that the inside of the plume is exposed and constricting the plume so that the adhesive remains on the inside of the plume.

24. A method as recited in claim 17, wherein removing a substantial amount of air from the chair comprises compressing the chair down to about 1% to about 99% of the original volume.

25. A method as recited in claim 17, wherein removing a substantial amount of air from the chair comprises compressing the chair down to about 4% to about 50% of the original volume.

26. A method as recited in claim 17, wherein a substantial amount of air is removed from the chair, then allowed to refill with air until reaching about 8% to about 50% of the chair's original volume.

27. A method as recited in claim 17, wherein a substantial amount of air is removed from the chair, then allowed to refill with air until reaching about 10% to about 25% of the chair's original volume.

EXHIBIT 100

WORKMAN, NYDEGGER & SEELEY
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

28. A method for packaging and shipping a chair, the method comprising:

forming a furniture assembly comprising a chair disposed inside a vacuum chamber, wherein the vacuum chamber comprises an opening which is selectively sealed and unsealed, the chair having an air permeable bladder housing compressible filler material, the compressible filler material being selectively compressible;

connecting the vacuum chamber in communication with a vacuum source;

selectively compressing the compressible filler material using the vacuum source; and

placing the furniture assembly in a storage container with the opening of the vacuum chamber unsealed.

29. The method as recited in claim 27 further comprising connecting the vacuum chamber in communication with a high-powered vacuum source to selectively compress the compressible filler material to a highly compressed state.

30. The method as recited in claim 27, wherein selectively compressing the compressible filler material comprises compressing the chair down to about 4% to about 50% of its original volume.

30. The method as recited in claim 27, wherein selectively compressing the compressible filler material comprises compressing the chair down to about 5% to about 25% of its original volume.

31. The method as recited in claim 27, further comprising removing the packaged furniture assembly from the storage container and removing the chair from the vacuum chamber, wherein the chair refills to substantially the original volume after removal from the vacuum chamber.

2017-03-25 14:00

WORKMAN, NYDEGGER & SEELEY
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

32. A method for manufacturing and packaging a chair, the method comprising:

providing an air permeable bladder;

placing a filler material within the air permeable bladder such that the chair is

selectively compressed when air is removed from within the chair; and

suctioning a substantial amount of air from the chair with a vacuum source.

33. A method as recited in claim 32, further comprising placing the chair in a

storage container such that the chair is allowed to partially refill with air while in the

storage container and is allowed to completely refill with air when removed from the

storage container.

2017-2018 45542001

WORKMAN, NYDEGGER & SEELEY
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

34. A packaged furniture assembly, comprising:

a chair comprising:

an air permeable bladder, and

a filler disposed within the air permeable bladder, the chair being selectively compressed when air is suctioned from within the air permeable bladder;

a vacuum chamber having an opening and configured to receive the chair therein; and

a storage container having an opening and configured to receive the chair and vacuum chamber therein.

35. An assembly as recited in claim 35, wherein the air permeable bladder comprises a fabric material.